

CUSTOM MODIFICATIONS

Your source for fast, no-hassle modifications.

With Allied Moulded's complete modification services, the need for inconvenient secondary handling of your enclosure is eliminated, saving you time and money.

We are pleased to customize any of our standard products with the following modifications:


- Holes and cutouts
- Polycarbonate viewing windows
- EMI/RFI shielding
- Factory supplied silk screening
- Molded in color matches

Industry's lowest volume requirements.

Because we are dedicated to providing you with outstanding service, we have the lowest volume requirements on custom work in the industry and guarantee quick delivery, often in less than three weeks from receipt of your order.


Computer-controlled CNC

We incorporate computer controlled manufacturing equipment into our operation which assures that modifications such as specialty holes and cutouts are exact to your specifications each time you order.



Custom holes and cutouts

Custom holes and cutouts allow for conduit entry or device mounting to meet the needs of any application.



EMI/RFI shielding

EMI/RFI shielding provides high-level protection against electromagnetic and radio frequency interference.



Silk Screen printing

Silk screen printing is a practical, professional way to identify corporate identity or enclosure function.

Yellow Red
Blue Green
Black Orange
White

Custom colors

Custom color pigments result in a homogeneously molded product.

Custom panels

Available custom metal work includes holes and cutouts on either back and hinged deadfront panels.



SPECIALS/MODIFICATION REQUEST FORM

For modification orders, please photocopy and complete this form, then return to Allied Moulded via mail or fax to 419-636-2450.

Date: _____ Part Number: _____ Quantity: _____

Name: _____ Company _____

Address: _____

City: _____ State: _____ Zip: _____

Email: _____ Phone: _____

Size

H _____ x W _____ x D _____

Cover

Flush Raised Screw cover Hinged cover Hinged on short side

Latching Options

Snap latch Twist latch 3-point

Panels

Back panel required: Yes No Size: H _____ x W _____
Back panel material: Carbon steel Aluminum Fiberglass Galvannealed

Windows

Window required: Yes No Size: H _____ x W _____
General location of window: _____

Molded-In Color

Standard Grey White (AM-1000) Orange (AM-5000)
 Blue (AM-8000) Black (AM-3000) Red (AM-4000)
 Yellow (AM-6000) Green (AM-7000)
Other (please specify): _____

Other Modifications

Holes/Cutouts _____ Number; Location: _____
 Silk Screening
 EMI/RFI Shielding

Additional Information/Notes

Submit request to: Allied Moulded Products, Inc. Fax to: 419-636-2450
For assistance or questions, call Allied Moulded at 419-636-4217. www.alliedmoulded.com